

QX50 All-fiber OTDR



- Applicable fiber: SM MM PON
- <1.8m extra-short event dead zone
- Up to 32/30dB High Dynamic Range
- Distance Range: 4,8,16,32,64,128,256km
- 640x480, 5.7 inch TFT-LCD (touch screen)
- 3 year Warranty
- USB interfaces, supporting USB stick and printer and direct cable download to PC via ActiveSync
- Memory capacity >800 traces
- Built-in lithium battery with high capacity for over 8 hours of operating life
- Display: Color LCD

Support four interface fiber types



FC



ST (Optional)



SC (Optional)



LC (Optional)

GUI interface

GUI interface design, operation is more simple, more intuitive reflection of the measurement results.



Color touch screen

Touch and key make operation more varied. To satisfy different people's habits and improve their work efficiency.






330times



8400mAh



recycled



Model code:
Code du modèle

Serial number:
Numéro de série

Production date:
Date de production




6601651540447141
Jan,04,2022



CAUTION!
INVISIBLE LASER, AVOID EYE EXPOSURE, CLASS 1 LASER
Précaution!
Laser invisible, éviter l'exposition des yeux, produit laser


Product details



PRODUCT FEATURES



Shock resistant



Water resistant



Drop resistant



Dust resistant

PRODUCT SPECIFICATION:

Model	QX50-M	QX50-S	QX50-P	QX50-MS	QX50-P3
Wavelength(nm)	850/1300	1310/1550	1310/1550/1625	850/1300+1310/1550	1310/1550SMF+1625SMF
Dynamic range(dB)	21/23	32/30	32/30/28	21/23+32/30	38/36/34
Build-in VFL	Y		N		
Applicable fiber	SM(ITU-T G.652)				
Distance range(km)	0.1,0.5,1,2,5,10,20,30,50,100,200,240				
Pulse width(ns)	5,20,40,80,160,320,640,1280,2560,5120,10240,20480				
Event dead zone(dB)	1.8				
Attenuation dead zone(m)	3				
Optical connector	FC/UPC (SC/LC/ST can be selected)				
Laser class	Class 1m				
Memory of trances	10,000pieces				

CONFIGURATION LIST:

- Carrying bag X1
- Strap X1
- Power cable X1
- Adapter X1
- SD card X1
- Card reader X1
- Certificate X1
- Electronic Manual X1
- Quick Guide X1
- Calibration Certificate X1
- Inspection Certificate X1



CONTACT US:

KomShine Technologies Limited

HEAD OFFICE:

Add: 2F Bldg. D Qinheng Tech. Pk. Nanjing, JS, 210001, China

Web: www.komshine.com

Mail: info@komshine.com

TEL: +86 25 66047688

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

*Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.