

KF-52

Optical fiber cleaver



Functions

- Cleaved Angel <math><0.5</math> degrees
- High capacity waste bin
- 48,000 times cutting life
- Universal fiber holder for 250 μ m / 900 μ m / 3.0mm fiber cable
- Simple 2 step operations
- Automatic Return of Blade
- 3-in-1 fixture, 0.25~3.0mm

Product features:



Universal Fiber Holder



High Capacity Waste Bin



Rubber Armor Protection


specification:

Fiber Types	single fiber
Coating Diameter	$\phi 0.25\&0.9$
Clad Diameter	125 μ m
Cleaved Angel	≤ 0.5 degrees
Cleave Length	9–16mm($\phi 0.25$) 10–16mm($\phi 0.9$)
Blade Life	48000 fibers (2000 fibersx24 positions)
Dimensions	62Wx64Dx74H mm
Weight	350g

Standard Package:

Item	P/N	Quantity
KF-52 main body/blade	KF-52-01	1
3-IN-1 Universal Fiber Holder	KF-52-91	1
Large Capacity Fiber Waste Bin	KF-52-11	1
Hexagonal Wrench	KF-52-12	1
Semi-hard Case	KF-52-13	1
Operation Manual	KF-52-14	1

KF-52



CONTACT US:

KomShine Technologies Limited

HEAD OFFICE:

2F Bldg. D Qinhen Tech. Pk. Nanjing, JS, 210001, China

TEL : +86 25 66047688

www.komshine.com

ventas@komshine.com

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

*Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.