# Konshine Benabling today. Inspiring tomorrow.

<complex-block>

## Features

## KOC-125

- Simple pushing motion to engage tool
- Audible CLICK to alert the operator when tools is fully engaged
- Over 800+ engagements per unit
- Dry cleaning strand eliminates the need for solvents to be effective
- Crush resistant to over 250N
- Impact resistant to survive drops over 1.5M
- Cleans LC/MU (APC/UPC) and other 1.25mm

### KOC-250

- Simple pushing motion to engage tool
- Audible CLICK to alert the operator when tools is fully engaged
- Over 800+ engagements per unit
- Dry cleaning strand eliminates the need for solvents to be effective
- Crush resistant to over 250N
- Impact resistant to survive drops over 1.5M
- Cleans SC/ST/FC/E2000 (APC/ UPC) and other 2.5mm


## Male conncetor



LC




SC






ST

# Female connector





Cleaning effect

## KOC-125
















# KOC-125

Name	Optical Connector One–Click Cleaner	Product feature	Economic and efficient
Brand	KOMSHINE	Range of application	MU/LC(APC & UPC)
Size	18mm*18mm*22mm	Cleaning time	>800

# KOC-250

Name	Optical Connector One–Click Cleaner	Product feature	Economic and efficient
Brand	KOMSHINE	Range of application	SC/FC/ST/E2000(APC & UPC)
Size	18mm*18mm*22mm	Cleaning time	>800

#### Product list



#### CONTACT US:

KomShine Technologies Limited

#### **HEAD OFFICE:**

2F Bldg. D Qinhen Tech. Pk. Nanjing, JS, 210001, China

#### TEL: +86 25 66047688 www.komshine.com ventas@komshine.com

\* Komshine reserves the right to improve, enhance, or modify the of KomShine products without prior notification.
\*Company and product names appearing in this catalogue are re respective companies.
\* This catalogue is printed using environmentally friendly paper a